








# Sustainable Crop Management Strategies for Climate-Resilient Agriculture

Ochuele Dominic Agida<sup>1,2</sup> , Etumudon Stanley Chukwugozie<sup>3</sup> ,  
Ogoke Betina Chinwendu<sup>4</sup> , Dike Benedict Chigozie<sup>5,6</sup> ,  
Tryphosa Tibile Sojay<sup>7</sup> , Moses Adondua Abah\*<sup>1,2</sup>   
and Micheal Abimbola Oladosu<sup>2,8</sup> 

<sup>1</sup>Department of Biochemistry, Faculty of Biosciences, Federal University Wukari, Taraba State, Nigeria

<sup>2</sup>ResearchHub Nexus Institute, Nigeria

<sup>3</sup>Department of Crop Science, Faculty of Agriculture, University of Benin, Benin City, Edo State, Nigeria  
Federal University of Technology, Owerri.

<sup>4</sup>Department of Soil Science and Technology, Faculty of Agriculture and Agricultural Technology, Owerri, Imo State, Nigeria

<sup>5</sup>Department of Food Science and Technology, Faculty of Engineering and Engineering Technologies, Federal University of Technology Owerri, Imo State, Nigeria

<sup>6</sup>Department of Disaster Risk Management, Faculty of Physical Sciences, Ahmadu Bello University Zaria, Kaduna State, Nigeria

<sup>7</sup>Department of Food, Nutrition and Home Sciences, Faculty of Agriculture, Prince Abubakar Audu University, Anyigba, Kogi State, Nigeria

<sup>8</sup>Department of Biochemistry, Faculty of Basic Medical Sciences, University of Lagos, Lagos State, Nigeria

Corresponding author: **Moses Adondua Abah** | E-mail: [m.abah@fuwukari.edu.ng](mailto:m.abah@fuwukari.edu.ng)

**Citation:** Ochuele Dominic Agida, Etumudon Stanley Chukwugozie, Ogoke Betina Chinwendu, Dike Benedict Chigozie, Tryphosa Tibile Sojay, Moses Adondua Abah and Micheal Abimbola Oladosu (2025). Sustainable Crop Management Strategies for Climate-Resilient Agriculture. *Agriculture Reviews: An International Journal*. DOI: <https://doi.org/10.51470/AR.2025.4.1.08>

Received 07 January 2025 | Revised 09 February 2025 | Accepted 16 March 2025 | Available Online 11 April 2025

## Abstract

Climate change presents unprecedented challenges to global agriculture, threatening crop productivity, soil health, and food security, particularly for smallholder farmers in vulnerable regions. Sustainable crop management strategies offer a critical pathway to build climate-resilient agricultural systems by integrating ecological, technological, and socio-economic approaches. Modern methods that maximise crop resilience while maximising resource utilisation and reducing environmental effects are summarised in this review. Crop selection and diversification using climate-resilient varieties, intercropping, and perennial systems are important tactics, as are water management techniques like effective irrigation, soil moisture conservation, and drought-adaptive cropping; and soil and nutrient management techniques like conservation tillage, organic amendments, and precision fertilization. Adaptive ability is further strengthened by the use of digital and precision agriculture techniques, integrated pest and disease control, and agroecological treatments like cover crops and agroforestry. With a focus on farmer education, and access to climate-smart inputs, and supportive regulatory settings, the review also emphasises the significance of socioeconomic and policy frameworks in promoting adoption. Research shows that these integrated strategies improve soil health, increase yield stability, protect biodiversity, lower greenhouse gas emissions, and boost smallholder farming communities' resilience. Despite these benefits, adoption barriers, resource constraints, and the need for locally adapted solutions remain significant challenges. Future research should focus on long-term impact assessments, modelling climate-smart interventions, and innovative technologies to optimise sustainability outcomes. By bridging traditional knowledge and modern scientific advancements, sustainable crop management provides a comprehensive framework for fostering climate-resilient, productive, and environmentally responsible agriculture.

**Keywords:** Climate-resilient agriculture, Sustainable crop management, Conservation, Agroecology, Precision agriculture and Smallholder farming.

## Introduction

Agriculture remains a fundamental pillar of global food security, livelihoods, and economic development; however, it is increasingly threatened by the intensifying impacts of climate change. Rising global temperatures, altered rainfall patterns, and the growing frequency of extreme climatic events such as droughts, floods, and heatwaves have significantly disrupted crop production systems worldwide [1].

These climatic stresses directly affect crop physiology, shorten growing seasons, and increase yield variability, thereby undermining food availability and farm incomes. Recent global assessments indicate that climate change could reduce food production by more than 10% by mid-century if adaptive measures are not implemented [2]. Even in regions with advanced agricultural infrastructure, climate-induced flooding and heat stress have resulted in declining agricultural productivity, highlighting the universal vulnerability of current farming systems [3]. Such trends underscore the urgent need for resilient agricultural approaches capable of sustaining crop production under increasingly uncertain climatic conditions.

In this context, sustainable crop management has emerged as a central strategy for enhancing agricultural resilience to climate change. Sustainable crop management refers to the application of agronomic, ecological, and technological practices that optimise the use of soil, water, and biological resources while minimising environmental degradation [4]. These practices are closely aligned with the principles of Climate-Smart Agriculture, which aim to simultaneously increase productivity, strengthen adaptive capacity, and reduce greenhouse gas emissions [5]. By integrating conservation-based practices, improved crop varieties, and efficient input use, sustainable crop management promotes long-term productivity without compromising ecosystem services. Importantly, this approach emphasizes the integration of traditional farming knowledge with modern innovations, allowing practices to be adapted to local agroecological and socio-economic conditions [4].

The importance of sustainable crop management extends beyond productivity gains to encompass broader environmental and ecological benefits. Soil-focused interventions such as conservation tillage, organic amendments, and integrated nutrient management have been shown to improve soil structure, increase organic carbon content, and enhance nutrient cycling under changing climatic conditions [3]. Similarly, water-efficient irrigation systems and soil moisture conservation practices help mitigate the effects of drought and erratic rainfall, particularly in water-scarce regions [6]. Crop diversification strategies, including intercropping and crop rotation, enhance biodiversity and reduce vulnerability to pests and diseases that are increasingly influenced by climate variability [5, 7]. Together, these strategies contribute to stabilising yields, improving ecosystem resilience, and reducing agriculture's environmental footprint in the face of climate change.

Despite their proven benefits, the adoption of sustainable crop management practices remains uneven, especially among smallholder farmers in developing regions, due in part to limited access to extension services and institutional support [1, 8]. In Sub-Saharan Africa, for example, land degradation, nutrient depletion, and rainfall variability continue to exacerbate food insecurity, even though climate-smart practices have demonstrated positive impacts on productivity and resilience when locally adapted [2].

Policy gaps and insufficient investment in agricultural innovation further limit the scalability of sustainable crop management approaches. Addressing these challenges requires coordinated efforts that combine technical innovation with supportive policies, farmer education, and access to finance.

The scope and purpose of this review are to comprehensively examine sustainable crop management strategies that support climate-resilient agriculture and to synthesise recent evidence on their effectiveness, challenges, and future potential. This review focuses on key thematic areas, including soil and nutrient management, water use efficiency, crop selection and diversification, integrated pest and disease management, agroecological practices, and digital and precision agriculture innovations. In addition, it evaluates the socioeconomic and policy dimensions that influence the adoption and scalability of these strategies, particularly among smallholder farming systems. By drawing on recent peer-reviewed literature, this review aims to provide an integrated understanding of how sustainable crop management can enhance productivity, environmental sustainability, and resilience to climate shocks. Furthermore, it identifies critical knowledge gaps and research priorities, including the need for long-term impact assessments, locally adapted solutions, and improved decision-support tools. Ultimately, this review seeks to inform researchers, policymakers, and practitioners by offering a holistic framework for advancing climate-resilient agriculture in the face of ongoing and future climatic uncertainties.

### **Climate Challenges in Agriculture**

Climate change has emerged as one of the most pervasive threats to agricultural systems worldwide, exerting profound impacts on crop health, productivity, natural resources, and food security. One of the most immediate challenges is temperature stress, where rising mean temperatures and heat waves adversely affect plant physiological processes. Elevated temperatures reduce photosynthetic efficiency and disrupt respiration and water regulation mechanisms in crops like maize and sorghum, directly reducing biomass accumulation and yield potential [9]. Heat stress also increases plant water demand by accelerating transpiration, further straining crops in water-limited environments. In arid and semi-arid regions, these effects are compounded by heightened evapotranspiration, which depletes soil moisture and exacerbates drought conditions, making it difficult for crops to maintain growth and reproductive development [9]. Consequently, heat stress has become a leading factor in yield decline across staple crops in climate-vulnerable landscapes.

Closely linked to rising temperatures are changes in precipitation regimes and water availability, which disrupt traditional seasonal rainfall patterns and contribute to both droughts and flooding. Altered rainfall patterns prolong dry spells and intensify water scarcity, limiting soil moisture availability necessary for crop establishment and growth [10]. In contrast, excessive rainfall events can cause waterlogging and flood damage, leading to root


oxygen deprivation, nutrient leaching, soil erosion, and impaired plant development [10, 11]. These contrasting extremes pose a significant challenge to farmers who must adapt planting schedules and irrigation practices while coping with unpredictable weather. In regions such as West Africa and parts of Asia, erratic rainfall has already undermined traditional rain-fed cropping systems, increasing the risk of crop failure and food insecurity.

Another serious climate-linked challenge is soil degradation, which undermines agricultural productivity and resilience. Soil erosion, nutrient loss, and reduced organic matter content are intensified by both drought and heavy rainfall events, diminishing soil structure and water-holding capacity [12, 13]. For example, intense rainfall events have been shown to wash away fertile topsoil, stripping essential nutrients and reducing land productivity over time. Simultaneously, drought conditions promote soil compaction and the loss of beneficial microbial communities, which are critical for nutrient cycling and root growth [12, 13]. The loss of soil quality directly impacts crop resilience, reducing the ability of agricultural systems to adapt to other stresses such as heat or pest outbreaks.

Pest and disease dynamics are also undergoing significant shifts under changing climatic conditions, creating additional challenges for crop management. Rising temperatures, altered humidity, and extended growing seasons enable many pest species to expand their geographic range and amplify reproductive cycles, resulting in increased pressure on crops [7, 14]. For instance, warmer conditions facilitate faster development and longer activity periods for insect pests, leading to more severe infestations and disease transmission. Scientific analyses predict that climate change could significantly increase losses from insect pests in major cereal crops such as wheat, rice, and maize as the pests' metabolic and reproductive rates rise with temperature [14]. Changing precipitation patterns also create favourable microclimates for fungal and bacterial pathogens, increasing the incidence and severity of diseases that debilitate crops. Together, these changes strain existing pest management systems, necessitating more adaptive and integrated strategies to minimise crop losses [7]. Beyond biotic stresses, shifts in agricultural zones and crop suitability are emerging as climate impacts alter the agroecological conditions that define traditional growing regions. Areas that were once climatically suitable for particular crops may become less favourable due to warmer temperatures or water scarcity, prompting the need to relocate cultivation zones or introduce new, climate-adapted varieties. This transition can disrupt local food systems, affect cultural farming practices, and require substantial adaptation investment [15]. Moreover, soil nutrient depletion and water scarcity can limit the potential of emerging agricultural zones, creating additional constraints on productivity [13]. For smallholder farmers, these changes often translate into economic risk, as investments in crop inputs and labour may not correspond to reliable yields under changing conditions.

Compounding these ecological and climatic stresses are socioeconomic pressures that influence how

communities adapt to climate change. For example, in Nigeria, shifting rainfall cycles and prolonged droughts have strained water resources essential for crop irrigation, contributing to declining yields and rising food insecurity [8, 16]. Farmers in rural landscapes with limited access to irrigation infrastructure or climate-smart technologies are disproportionately affected, revealing a growing disparity between resource-rich and resource-limited farming communities [8, 16]. These socioeconomic vulnerabilities underscore the interplay between environmental change and human systems, where climate impacts are magnified by insufficient adaptive capacity, limited agricultural extension services, and constrained access to finance and technology [8].



**Figure 1.** Impact of climate-induced environmental extremes on agriculture, soil and crops. The figure shows how climate-induced extremes such as droughts, floods, and heatwaves affect agriculture by directly impacting crops and degrading soil health. These stressors reduce crop growth and yield, disrupt soil nutrients and structure, and increase vulnerability to pests and diseases, highlighting the need for climate-resilient farming practices.

Source: [17]

### Principles of Sustainable Crop Management

Sustainable crop management is grounded in principles that optimise agricultural productivity while conserving natural resources and supporting ecological integrity. A foundational principle is the efficient use of water, soil, and nutrients to produce more with fewer inputs and reduced environmental impact. Efficient water management, for example, includes practices that enhance moisture retention and minimise waste, such as drip irrigation, rainwater harvesting, and soil moisture monitoring, which are critical in the face of increasing water scarcity and climate variability [18]. Balanced soil nutrient management is equally central, involving careful matching of input quantities to crop demand and synchronisation of fertiliser timing to plant growth stages, thus reducing nutrient losses via leaching or volatilisation while enhancing crop uptake [13, 19]. These resource-efficient approaches not only improve yield potential but also sustain long-term soil fertility and reduce dependence on external inputs, contributing to the environmental sustainability of cropping systems [13, 18].

Beyond resource efficiency, sustainable crop management emphasises biodiversity enhancement and ecological balance within agricultural landscapes. Practices such as crop diversification, agroforestry, and polyculture increase species richness, create habitats for beneficial organisms, and support ecosystem services like pollination, pest

regulation, and nutrient cycling [7, 20]. Crop diversification has been shown to foster stronger ecological stability by supporting beneficial arthropods and soil biota and by reducing pest and disease outbreaks compared with monoculture systems [7, 20]. Biodiversity-oriented practices also include conservation tillage and cover cropping, which maintain soil cover, reduce erosion, and promote a more complex soil food web that enhances resilience and productivity [13, 18]. By mimicking natural ecosystems, these strategies help sustain ecological processes that underpin crop growth and strengthen adaptation to climate fluctuations. A third core principle is the integration of traditional knowledge with modern technological and scientific innovations to create context-specific, sustainable solutions. Traditional ecological knowledge (TEK), developed through generations of interaction with local environments, offers insights into adaptive crop rotations, indigenous water management systems, and culturally rooted soil conservation techniques that are well-suited to their specific agroecological


contexts [18, 21]. Scientific advancements, including precision agriculture technologies like soil sensors, GPS-guided nutrient applications, and climate-informed decision support systems, enhance the precision and efficiency of resource use, enabling farmers to respond dynamically to environmental signals and crop needs. The synergistic integration of TEK and modern methodologies not only preserves valuable indigenous practices but also improves their effectiveness through evidence-based refinement [8, 21]. This inclusive approach fosters innovation that is ecologically sound, socially relevant, and economically viable, reinforcing both local resilience and broader sustainability goals. Table 1 summarises the core principles of sustainable crop management, highlighting how each principle contributes to climate-resilient agriculture by improving productivity, maintaining soil health, conserving water, reducing vulnerability to pests and diseases, and enhancing the overall adaptive capacity of farming systems under changing climatic conditions.

**Table 1: Core principles of sustainable crop management and their contributions to climate-resilient agriculture**

Principles	Key Components	Contribution to climate resilience
Resource-efficient management of water, soil, and nutrients	Conservation tillage; integrated nutrient management; efficient irrigation; soil organic matter enhancement	Improves water and nutrient use efficiency, enhances soil structure and fertility, reduces vulnerability to drought and heat stress, and lowers environmental degradation
Biodiversity enhancement and ecological balance	Crop diversification; rotations and intercropping; cover crops; agroforestry; conservation of beneficial organisms	Strengthens ecosystem services such as pest regulation, pollination, and nutrient cycling; increases yield stability and system resilience under climate variability
Integration of traditional knowledge with modern techniques	Indigenous soil and water conservation practices; local crop knowledge combined with climate information services, precision tools, and decision-support systems	Enables locally adapted, socially acceptable, and cost-effective climate adaptation while improving adoption and long-term sustainability

### Crop Management Strategies for Climate Resilience

Climate-resilient crop management encompasses a suite of agronomic, ecological, and technological strategies designed to reduce vulnerability to climate variability while sustaining productivity and environmental integrity. These strategies aim to enhance soil and water conservation, optimise nutrient use, diversify cropping systems, manage pests ecologically, and leverage digital innovations for informed decision-making. When implemented in an integrated manner, climate-resilient crop management strengthens adaptive capacity, stabilises yields under stress conditions, and supports long-term sustainability across diverse agroecological contexts [7, 22, 23]. These strategies are discussed below;



**Figure 2.** Strategies for climate-resilient agriculture. It shows strategies for climate-resilient agriculture, highlighting practices like stress-tolerant crops, efficient resource management, soil conservation, and pest control to maintain productivity and adapt to climate extremes. **Source:** [24]

### Soil and Nutrient Management

Soil and nutrient management are central to climate resilience, as healthy soils enhance water retention, nutrient availability, and crop tolerance to climatic stress. Conservation tillage and minimum soil disturbance reduce soil erosion, preserve soil organic carbon, and improve soil structure, thereby enhancing resilience to droughts and extreme rainfall events [13, 25]. Reduced tillage systems also lower fuel use and greenhouse gas emissions while maintaining or improving crop yields under variable climate conditions [23].

The application of organic amendments and composting improves soil fertility by increasing organic matter content, enhancing microbial activity, and promoting nutrient cycling [13, 22]. Organic inputs improve soil water-holding capacity and buffer crops against moisture stress, particularly in degraded or sandy soils [4, 14]. These practices also reduce reliance on synthetic fertilisers, contributing to environmental sustainability. Precision nutrient management and integrated fertilisation approaches optimize nutrient application rates, timing, and placement according to crop demand and soil conditions. Techniques such as soil testing, variable-rate fertilisation, and integrated nutrient management reduce nutrient losses and improve productivity while minimising environmental pollution [26].

### Water Management

Water scarcity and rainfall variability necessitate efficient and adaptive water management strategies.

Efficient irrigation techniques, including drip and sprinkler systems, significantly reduce water losses and improve water-use efficiency compared with conventional surface irrigation [8, 22]. Rainwater harvesting further enhances water availability by capturing and storing runoff for supplemental irrigation during dry periods [6, 8]. Soil moisture conservation and mulching play a vital role in reducing evaporation, moderating soil temperature, and improving infiltration, particularly under hot and dry conditions [25].

Organic and synthetic mulches have been shown to improve crop performance under water-limited environments by conserving soil moisture and suppressing weed competition [13, 22]. The adoption of drought-adaptive cropping systems, including altered planting dates, deficit irrigation strategies, and drought-tolerant crop rotations, enables farmers to align production cycles with available water resources [13, 23]. These systems reduce crop failure risk and enhance yield stability under prolonged dry spells.

### Crop Selection and Diversification

Crop selection and diversification are key biological strategies for managing climate risk. Climate-resilient and stress-tolerant crop varieties, developed through conventional breeding and modern biotechnology, exhibit enhanced tolerance to heat, drought, flooding, and salinity [13, 22]. Such varieties reduce yield losses under climate extremes and improve food security in vulnerable regions. Intercropping, crop rotation, and polyculture systems enhance resource-use efficiency and reduce pest, disease, and weed pressure by increasing functional diversity within cropping systems [7, 27].

These practices also improve soil fertility and disrupt pest life cycles, contributing to greater ecological stability. The integration of perennial and multi-purpose crops further strengthens resilience by providing continuous ground cover, reducing erosion, and diversifying farm outputs such as food, fodder, fuel, and ecosystem services [7, 28]. Perennials are particularly valuable for long-term climate adaptation due to their deep root systems and lower input requirements.

### Integrated Pest and Disease Management (IPDM)

Climate change alters pest and disease dynamics, necessitating adaptive management approaches. Biological control and biopesticides, including natural predators, parasitoids, and microbial agents, provide environmentally friendly alternatives to chemical pesticides while maintaining pest populations below economic thresholds [7, 22]. Pest monitoring and early warning systems, supported by climate and pest surveillance data, enable timely interventions and reduce unnecessary pesticide use [23]. These systems improve decision-making under changing climatic conditions. Habitat management to reduce pest pressure, such as maintaining field margins, hedgerows, and refuges for beneficial organisms, enhances natural pest regulation and strengthens agroecosystem resilience [7, 27].

### Agroecological and Conservation Practices

Agroecological practices emphasise ecosystem-based approaches to resilience. Cover cropping and green manuring improve soil fertility, suppress weeds, enhance soil structure, and increase soil carbon sequestration [13, 25]. These practices also protect soils from erosion during extreme weather events. Agroforestry and tree-crop integration combine woody perennials with crops to enhance microclimates, improve nutrient cycling, and diversify income sources [4, 7]. Agroforestry systems have demonstrated strong potential for climate mitigation and adaptation. The establishment of buffer zones and conservation of natural habitats supports biodiversity, protects water resources, and enhances ecosystem services critical for sustainable crop production [4, 7].

### Digital and Smart Agriculture Approaches

Digital technologies are increasingly vital for climate-smart crop management. Climate-smart tools, including sensors, weather forecasting platforms, and mobile applications, provide real-time information that supports adaptive decision-making [8, 22]. Decision-support systems integrate climate, soil, and crop data to guide timely interventions such as irrigation scheduling, fertilizer application, and pest control [26]. Remote sensing and precision agriculture technologies, including satellite imagery and GPS-guided machinery, enable site-specific management, reduce input waste, and enhance resilience to climate variability [8, 23].

**Table 2: Climate-resilient crop management strategies and their primary functions**

Strategies	Key Practices	Primary Resilience Functions	References
Soil and nutrient management	Conservation tillage; organic amendments; integrated and precision fertilization	Improves soil structure and organic carbon, enhances nutrient-use efficiency, increases tolerance to drought and extreme rainfall	[22, 23, 25]
Water management	Drip and sprinkler irrigation; rainwater harvesting; mulching; drought-adaptive cropping	Enhances water-use efficiency, conserves soil moisture, reduces crop water stress under variable rainfall	[6, 22, 23]
Crop selection and diversification	Stress-tolerant varieties; intercropping; crop rotation; perennial crops	Stabilizes yields, reduces climate risk, improves resource capture and system resilience	[22, 27, 28]
Integrated pest and disease management (IPDM)	Biological control; pest monitoring and early warning; habitat management	Reduces climate-driven pest outbreaks, lowers chemical dependence, strengthens ecological regulation	[22, 23, 27]
Agroecological and conservation practices	Cover cropping; green manuring; agroforestry; buffer zones	Enhances biodiversity, soil fertility, and ecosystem services critical for long-term resilience	[4, 25]


### Socioeconomic and Policy Considerations

Socioeconomic conditions and policy environments fundamentally influence the adoption, scaling, and sustainability of climate-resilient crop management strategies. While agronomic innovations provide technical solutions, farmers' ability to implement them depends on access to knowledge, financial resources, and supportive institutional frameworks. Climate change disproportionately affects smallholder farmers, making inclusive socioeconomic and policy interventions essential for enhancing adaptive capacity and reducing vulnerability [8, 23].

Farmer education, extension services, and knowledge-sharing mechanisms are central to promoting sustainable crop management practices. Effective agricultural extension systems facilitate the dissemination of climate-resilient technologies, including conservation agriculture, efficient water management, and integrated pest management, thereby improving farm-level decision-making. Evidence shows that participatory, demand-driven extension approaches, particularly those integrating digital advisory services, enhance technology adoption and resilience outcomes under climate stress [29]. Furthermore, combining indigenous knowledge with scientific recommendations improves local relevance and strengthens farmers' adaptive strategies [8, 27].

Access to finance and climate-smart inputs remains a major barrier, particularly in low- and middle-income countries. Investments in improved seeds, irrigation systems, soil amendments, and precision agriculture technologies often require capital beyond the reach of smallholder farmers. Climate-sensitive financial instruments, including tailored credit schemes, input subsidies, and agricultural insurance, have been shown to reduce risk and encourage investment in sustainable practices [30]. Strengthening financial inclusion, when aligned with extension and advisory services, significantly enhances productivity, resilience, and livelihood security.

Policy frameworks play a decisive role in enabling climate-resilient and sustainable crop management. Integrated agricultural and climate policies that support conservation agriculture, agroecology, and climate-smart innovations create incentives for adoption and long-term sustainability [31]. National strategies that mainstream climate adaptation into agricultural planning, support research and innovation, and strengthen land tenure security are particularly effective in fostering resilience [8, 23]. Coordinated socioeconomic and policy interventions are therefore indispensable for scaling sustainable crop management and achieving climate-resilient agricultural systems.



**Figure 3:** Socioeconomic and policy enablers of climate-resilient crop management systems. The figure highlights key socioeconomic and policy enablers such as access to credit, extension services, farmer training, market support, and climate-focused policies that promote the adoption and effectiveness of climate-resilient crop management systems.

### Impacts and Benefits of Climate-Resilient Crop Management

Climate-resilient crop management delivers measurable benefits for productivity, ecosystem integrity, and farmer livelihoods by reducing vulnerability to climate variability and extremes [23]. Integrated strategies combining soil conservation, efficient water use, crop diversification, and adaptive technologies enhance the stability and performance of agricultural systems under increasingly uncertain climatic conditions [22]. A key benefit is improved crop productivity and yield stability, particularly in rain-fed and smallholder systems. Practices such as conservation agriculture, stress-tolerant varieties, and diversified cropping systems reduce yield fluctuations and mitigate losses during droughts, heat waves, and erratic rainfall [25]. Evidence from long-term studies indicates that diversified systems often maintain more consistent yields than conventional monocultures under climate stress [7, 28].

Climate-resilient practices also contribute to enhanced soil health and biodiversity, which are essential for sustainable production. Increases in soil organic matter improve nutrient cycling, water retention, and soil structure, while diversified and agroecological systems support pollinators and natural pest regulators [7, 32]. These ecological functions reduce reliance on external inputs and strengthen system resilience. From an environmental perspective, sustainable crop management supports climate mitigation and reduces environmental footprints. Optimised fertiliser use, reduced tillage, and improved residue management lower greenhouse gas emissions and promote soil carbon sequestration [13, 22]. Additionally, resilient crop management enhances the adaptive capacity of smallholder farmers, improving food security and livelihood stability when supported by enabling institutions and policies. Table 3 outlines these key impacts and benefits of climate-resilient crop management, including improved crop productivity, enhanced soil health, reduced vulnerability to climate extremes, increased food security, and greater long-term sustainability of farming systems.

**Table 3: Key impacts and benefits of climate-resilient crop management**

Impacts Domain	Observed Benefits	Relevance to Climate Resilience
Crop productivity and yield stability	Reduced yield variability; improved performance under drought, heat, and rainfall extremes	Enhances food security and reduces production risk in climate-vulnerable systems
Soil health and fertility	Increased soil organic matter; improved structure, nutrient cycling, and water-holding capacity	Strengthens tolerance to climate stress and supports long-term productivity
Biodiversity and ecosystem services	Enhanced pollination, biological pest control, and system stability	Reduces dependence on external inputs and improves ecological resilience
Environmental sustainability and mitigation	Reduced greenhouse gas emissions; increased soil carbon sequestration	Supports climate mitigation while enhancing adaptive capacity
Smallholder resilience and livelihoods	Improved income stability, food security, and adaptive capacity	Enhances social resilience to climate shocks and stresses

Modified from [22, 23, 28]

### Challenges and Future Directions

Despite the demonstrated benefits of climate-resilient crop management, several challenges continue to limit widespread adoption and long-term effectiveness. A major barrier is the uneven adoption of sustainable practices, particularly among smallholder farmers, due to limited access to knowledge, inputs, finance, and institutional support [22]. In many regions, short-term yield priorities, labour constraints, and perceived risks discourage farmers from transitioning away from conventional practices, even when long-term benefits are evident [23]. Resource and context specificity further complicate implementation. Climate-resilient practices are not universally transferable, as their effectiveness depends on local agroecological conditions, socioeconomic contexts, and cultural practices [27]. This underscores the need for locally adapted solutions that integrate scientific innovation with indigenous and farmer knowledge systems. Weak extension systems and fragmented policy coordination often hinder the localisation and scaling of such context-specific strategies. Future research should prioritise long-term and systems-level assessments of climate-resilient crop management. There remains a need for longitudinal studies that evaluate yield stability, soil health, biodiversity outcomes, and livelihood impacts across diverse climatic zones and farming systems [25]. Advances in modelling, digital agriculture, and remote sensing offer opportunities to improve prediction, monitoring, and decision-making, but their accessibility and usability for smallholders require further attention [33]. Strengthening interdisciplinary research, innovation systems, and policy alignment will be essential to overcoming current constraints and ensuring the sustainable transformation of crop production under climate change.

### Conclusion

Climate change is reshaping crop production systems worldwide, necessitating management strategies that simultaneously enhance productivity, resilience, and environmental sustainability. This review has shown that sustainable crop management through integrated soil and nutrient management, efficient water use, diversified cropping systems, integrated pest and disease management, agroecological practices, and digital innovations offers a coherent and effective pathway for building climate-resilient agriculture. When applied in an integrated manner, these strategies stabilise yields under climate variability, improve soil health, conserve biodiversity,

and reduce environmental impacts. Their benefits extend beyond agronomic performance to strengthen the adaptive capacity and livelihoods of farmers, particularly smallholders who are most vulnerable to climate-related risks.

Importantly, technical interventions alone are insufficient; their success depends on supportive socioeconomic conditions, effective extension systems, access to finance, and enabling policy environments. Looking ahead, the transition toward climate-resilient agriculture requires coordinated action across research, policy, and practice. Emphasis should be placed on locally adapted solutions, long-term system-based assessments, and the responsible use of emerging digital and precision technologies. Strengthening collaboration among stakeholders and aligning agricultural development with climate adaptation goals will be critical to ensuring sustainable food systems in an era of increasing climate uncertainty.

### Acknowledgement

We thank all the researchers who contributed to the success of this research work.

### Conflict of Interest

The authors declared that there are no conflicts of interest.

### Funding

No funding was received for this research work.

### References

1. Omokpariola, D.O., Agbanu-Kumordzi, C., Samuel, T., Kiswii, L., Moses, G. and Adelegan, M. Climate change, crop yield, and food security in Sub-Saharan Africa. *Discov Sustain.* 2025; 6:678. <https://doi.org/10.1007/s43621-025-01580-4>
2. Farah, A.A., Mohamed, M.A., Musse, O.S.H. and Abdisalan, B. The multifaceted impact of climate change on agricultural productivity: a systematic literature review of SCOPUS-indexed studies (2015–2024). *Discov Sustain.* 2025; 6:397.
3. Teng, J., Hou, R., Dungait, J.A.J., Zhou, G., Kuzyakov, Y., Zhang, J. *et al.* Conservation agriculture improves soil health and sustains crop yields after long-term warming. *Nat Commun.* 2024; 15:8785. <https://doi.org/10.1038/s41467-024-53169-6>
4. Kugedera, A.T., Trivedi, A., Nandeha, N. and Biswas, A. Agroforestry and integrated nutrient management as climate-smart agro-technologies for soil health and climate change mitigation: a review on African and Asian regions. *Discov Agric.* 2025; 3:272. <https://doi.org/10.1007/s44279-025-00463-6>

5. Ali, U. M. Climate-Smart Horticultural Practices: Building Resilience in a Changing Environment: A Scoping Review. *Agriculture, Forestry and Fisheries*. 2024; 13(5):202-209. <https://doi.org/10.11648/j.aff.20241305.19>
6. Atubiga, J.A., Amankwah, E. and Nsiah, P.K. The impact of climate change on water conservation for dry season irrigation farming in Ghana's Sudan agro ecological zone of the Upper East Region. *Discov Sustain*. 2025; 6:1314. <https://doi.org/10.1007/s43621-025-01854-x>
7. Abah, M., Oladosu, A., Julius, O., Tatah, S. and Onyeoche, A. Pollination Efficiency of Indigenous Insects on Major Nigerian Crops: A Case Study of Cocoa, Cashew, and Oil Palm Farms. *Trends in Biological Sciences*. 2025; 1(2). DOI:10.21124/tbs.2025.110.120
8. Abdulhamid, M., Olatayo, I., Oladosu, M., Abah, M. et al. The Impact of Agricultural Extension Services in Promoting Food Security in Nigeria. *Agricultural Research & Technology Open Access Journal*. 2025. DOI:10.19080/ARTOAJ.2025.28.556439
9. Omokaro, G. O. Multi-impacts of climate change and mitigation strategies in Nigeria: agricultural production and food security. *Science in One Health*. 2025; 4:100113. <https://doi.org/10.1016/j.soh.2025.100113>
10. Singh, R. P. Climate Change and its Effect on Crop Productivity: Challenges and Adaptation Strategies for Global Food Security. *International Journal of Multidisciplinary Futuristic Development*. 2025; 6(01):10-12.
11. Huang, S., Jiang, F., Dong, Q., Yu, J., Fan, K., Wang, Z. et al. The impact of climate change induced extreme weather events on microbial dynamics and public health: an in-depth review on water quality and ecosystem resilience. *Front. Environ. Sci*. 2025; 13:1674490. doi:10.3389/fenvs.2025.1674490
12. Alawode, A. Assessing Climate Change Impacts on Agricultural Productivity and Rural Livelihoods in Sub-Saharan Africa. *International Journal of Research Publication and Reviews*. 2025; 6(5):4508-4523. DOI : <https://doi.org/10.55248/gengpi.6.0525.1734>
13. Anih, D., Adebisi, A., Imo, C., Abah, M., Ekele, U., Oloboke, I. et al. Nutritional Evaluation and Aflatoxin Levels in Selected Leguminous Grains Retailed in Wukari, Taraba State, Nigeria. *Plant Science Archives*. 2025; 10(4):34-45. DOI:10.51470/PSA.2025.10.4.34
14. The Guardian. 'Borrowed time': crop pests and food losses supercharged by climate crisis. 2025. <https://www.theguardian.com/global-development/2025/dec/20/crop-pests-food-losses-climate-crisis>
15. Samweli, S. N., Martin, R. and Ntumva, M. "Extension Advisory Services on Farmer's Climate Change Mitigation Strategies in Misungwi District, Tanzania: Issues and Options". *International Journal of Environment and Climate Change*. 2025; 15(2):365-73. <https://doi.org/10.9734/ijecc/2025/v15i24733>
16. Shibayan, D. Nigeria has a food security problem as water for crops is harder to find. *AP News*. 2025. <https://apnews.com/article/0985473d47de9b752cd4b07f6df99c22>
17. Bibi, F. and Rahman, A. An Overview of Climate Change Impacts on Agriculture and Their Mitigation Strategies. *Agriculture*. 2023; 13(8):1508. DOI:10.3390/agriculture13081508
18. Çakmakçı, R., Çakmakçı, S. and Çakmakçı, M. F. Principles of environmentally sustainable agriculture for building resilient and resource-efficient food systems. *Turkish journal of biology = Turk biyoloji dergisi*. 2025; 49(5):550-584. <https://doi.org/10.55730/1300-0152.2764>
19. Shah, F. and Wu, W. Soil and Crop Management Strategies to Ensure Higher Crop Productivity within Sustainable Environments. *Sustainability*. 2019; 11(5):1485. <https://doi.org/10.3390/su11051485>
20. Gawdiya, S., Sharma, R.K., Singh, H. and Kumar, D. Crop diversification as a cornerstone for sustainable agroecosystems: tackling biodiversity loss and global food system challenges. *Discov Appl Sci*. 2025; 7: 373. <https://doi.org/10.1007/s42452-025-06855-z>
21. Munawar, S. T. and Khalid, U. M. Integrating Indigenous Agricultural Knowledge with Modern Practices for Sustainable Farming and Food Security. *Journal of Agriculture and Biology*. 2025; 3(1):196-208. DOI:10.55627/agribiol.003.01.1173
22. Méndez-Vallejo, C., Simpson, P., Johnson, F. and Birt, A. Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Intergovernmental Panel on Climate Change. 2023. DOI:10.59327/IPCC/AR6-9789291691647
23. FAO. Climate-Smart Agriculture Sourcebook. Rome. Food and Agriculture Organization of the United Nations. 2013. <https://openknowledge.fao.org/handle/20.500.14283/i3325e>
24. Arif, M., Fiaz, S., Kandegama, W. and Sheth, S. Evaluating the impacts of environmental stresses on agriculture in the context of climate resilience. *Plant Molecular Biology*. 2025; 115(4). DOI:10.1007/s11103-025-01598-2
25. Lal, R. Soil health and carbon management. *Food and Energy Security*. 2016; 5(4). DOI:10.1002/fes3.96
26. Hedley, C. The role of precision agriculture for improved nutrient management on farms. *Journal of the science of food and agriculture*. 2015; 95(1):12-19. <https://doi.org/10.1002/jsfa.6734>
27. Altieri, A., Nicholls, C. I., Henao, A. and Lana, M. Agroecology and the design of climate change-resilient farming systems. *Agronomy for Sustainable Development*. 2015; 35(3). DOI:10.1007/s13593-015-0285-2
28. Kremen, C., Iles, A. and Bacon, M. C. Diversified farming systems: an agroecological, systems-based approach. *Ecology and Society*. 2012; 17:44-63.
29. Riikka, R. and Swanson, B. E. Strengthening agricultural extension and advisory systems : procedures for assessing, transforming, and evaluating extension systems. World Bank Group. 2010. 1. <https://documents.worldbank.org/en/publication/documents-reports/documentdetail/873411468159312382/strengthening-agricultural-extension-and-advisory-systems-procedures-for-assessing-transforming-and-evaluating-extension-systems>
30. FAO. The State of Food and Agriculture. Making agrifood systems more resilient to shocks and stresses. 2021. Rome. (2021). <https://doi.org/10.4060/cb4476en>

31. OECD. Policies for the Future of Farming and Food in Croatia, OECD Agriculture and Food Policy Reviews, OECD Publishing, Paris. 2025. <https://doi.org/10.1787/011c6272-en>.
32. IPBES, McElwee, P. D., Harrison, P. A., van Huysen, T. L., Alonso Roldán, V., Barrios, E. *et al.* Summary for Policymakers of the Thematic Assessment Report on the Interlinkages among Biodiversity, Water, Food and Health of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. IPBES secretariat, Bonn, Germany. 2024. DOI: <https://doi.org/10.5281/zenodo.13850289>.
33. Klerkx, L., Jakku, E. and Labarthe, P. A review of social science on digital agriculture, smart farming and agriculture 4.0: New contributions and a future research agenda. *NJAS: Wageningen Journal of Life Sciences*. 2019; 90–91(1): 1–16. <https://doi.org/10.1016/j.njas.2019.100315>